EXTENSIONS


Single desks



EXTENSIONS

Extensions (all models)

Extensions made of 25 mm thick Structurex® melamine-coated panels with 2 mm thick ABS edging.



Fixation

Juxtaposition and fixing by metal plates.

Support leg

Metal cylindrical support leg of Ø 50 mm, lacquered epoxy finish.



Tear drop extension



«D end» extension



Return extension




Lateral extension



90° corner

CHARACTERISTICS




Metal legs finishes




Tops MFC finishes


Extensions usable only with D 80 cm desks



90° corner




Half-moon extension



"D end" extension



Tear drop extension




Return extension

EXTENSIONS

Tops


- Structurex® – Melamine-coated particle board, 25 mm thick, high density 650 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- 2 mm thick shock-proof ABS straight edging, radiused and matching the top finishes.
- Tops available in various formats :



- Compatible with all 72 cm high operator desking ranges (only with D 80 desks except for the return extensions compatible with all H 72 cm desks).
- Tops equipped with metal plates to connect the extensions to the desks.
- 100 % PEFC tops from sustainably managed forests.
- E1 certification in compliance with standard NF EN-717-2.
- M2 fire classification.

Leg

- Steel cylindrical support leg of Ø 50 mm, epoxy finish.
- Finishes available : aluminium (RAL 9006) – black (RAL 9005) – white (RAL 9016).
- Attached to the top using wood screws.
- Adjustable screw jacks (Ø 25 mm, 10 mm stroke) to compensate for any defects in the floor.









buronomic

ZI du Poudreux
Route Samuel de Champlain
14600 Honfleur

Tel : +33 (0)2 31 81 66 00

www.buronomic.com
contact@buronomic.com

The data in this sheet is valid at the date of preparation.
Any evolution of the product does not systematically give rise to update when the fundamental characteristics of the product are not modified.
The manufacturer reserves the right to change the product without notice.
Version 02/2025