PRESTIGE

Executive desks



buronomic

DATA **SHEET**

PRESTIGE

WARRANTY 10 YEARS

Top

38 mm Nitech® honeycomb melamine-coated panels. 2 mm thick shock-proof ABS edging.



Electrification

2 Ø 80 mm cable ports with a square black cover.




Leg

Metal arch ribbon leg of cross-section 70 x 30 mm, black epoxy finish.

Return storage unit (depending on version)

The desk and return storage unit are connected by a shortened ribbon leg so that the unit fits perfectly into the desk structure. The return storage unit can be positioned on the right or on the left.


CHARACTERISTICS




Metal legs finish




Tops and storage units MFC finishes




Desk - top view




Desk - front view




Desk - side view



Conference table top view



Conference table with extension top view



Conference table side view

- 100 % PEFC tops from sustainably managed forests.
- E1 certification in compliance with standard NF EN-717-2.
- M2 fire classification.

Desk

Top


- Nitech® – cardboard honeycomb core faced with 8 mm thick melamine-coated particle board, 38 mm thick, density 330 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- 3 mm thick protective edging covered 2 mm thick shock-proof ABS edging, radiused and matching the panel finish.
- Dimensions : D 100 x L 200 cm
- The desk is fitted with 2 black finish Ø 80 mm square cable ports.


Leg

- Metal arch ribbon leg, cross-section 70 x 30 mm, in black (RAL 9005) finish, based on a self-supporting beam system with desk tops raised by spacers.
- Tops attached to the legs by H 20 mm high spacers.
- 73,5 cm high worktops with adjustable screw jacks of Ø 25 mm and 10 mm stroke to compensate for any defects in the floor.

Structure

- Structural metal beams, C-profil of cross section 40 x 70 mm, fitted with 2 end fittings to connect the legs and provide perfect stability.
- Height under beam : ± 62 cm.
- Black (RAL 9005) epoxy finish.





Storage unit


- Structurex® Melamine-coated particle board, 16 / 25 mm thick, high density 650 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- 2 mm thick shock-proof ABS edging, radiused and matching the panel finishes.
- Dimensions : D 56,5 x L 120 x H 52,5 cm.
- Available in open version with 2 niches of internal dimensions D 52 / H 17 for the upper niche and H 19,5 cm for the lower niche / L 115 cm.
- Available with 2 storage drawers of internal dimensions D 47,5 / H10 / L 111,5 cm.
- Drawers are equipped with a push-latch opening system with synchronization allowing them to open over the entire length of the drawer with a simple push.
- The desk and return storage unit are connected by a 15 cm high shortened ribbon leg which rests perfectly on the return storage unit.




Open storage unit



Storage unit with 2 drawers



Desk
on open storage unit



Desk
on return storage unit with drawers

PRESTIGE

Conference tables

Top

- Nitech® – cardboard honeycomb core faced with 8 mm thick melamine-coated particle board, 38 mm thick, density 330 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- 3 mm thick protective edging covered 2 mm thick shock-proof ABS edging, radiused and matching the panel finishes.
- The table consists of 2 half top-surfaces measuring L 120 / D140 cm, with the possibility of adding an extension measuring L 140 / D 140 cm.
- Top Access hatch with double opening (L 31,6 x D 14,8 cm) black finish, position at the junction of the half-surfaces and extensions. Cable tray available on option.

Ribbon leg

- Metal arch ribbon leg, cross-section 70 x 30 mm, in black (RAL 9005) finish, based on a self-supporting beam system with desk tops raised by spacers.
- Tops attached to the legs by H 20 mm high spacers.
- 73,5 cm high worktops with adjustable screw feet of Ø 25 mm and 10 mm stroke to compensate for any defects in the floor.


Structure

- Structural metal beams, C-profil of cross section 40 x 70 mm, fitted with 2 end fittings to connect the legs and provide perfect stability.
- Height under beam : ± 62 cm.
- Black (RAL 9005) epoxy finish.

The table is infinitely modular thanks to the extension module on shared arch leg, with each extension large enough to accommodate 4 additional persons.







PRESTIGE



buronomic

ZI du Poudreux
Route Samuel de Champlain
14600 Honfleur

Tel : +33 (0)2 31 81 66 00

www.buronomic.com
contact@buronomic.com

The data in this sheet is valid at the date of preparation.
Any evolution of the product does not systematically give rise to update when the fundamental characteristics of the product are not modified.
The manufacturer reserves the right to change the product without notice.
Version 02/2025