STRICTO Executive

Executive desks



buronomic

DATA **SHEET**

STRICTO Executive


WARRANTY 10 YEARS

Top Access hatch

Built-in single Top Access hatch, positionable on the left or on the right.

Top

25 mm thick Structurex® melamine-coated top. 2 mm thick shock-proof ABS edging.



Structure

Structural modesty panel reinforced with a metal beam.

Return storage unit (depending on version)


The return storage unit consists of 3 square compartments, 2 horizontal compartments and a CPU compartment. It can be positioned as a return on the left or right of the desk (not reversible, to be defined when ordering).

Leg

Stylish double metal ribbon leg made of 25 x 25 mm square tube, black epoxy finish.

CHARACTERISTICS






- 100 % PEFC tops from sustainably managed forests.
- E1 certification in compliance with standard NF EN-717-2.
- M2 fire classification.

Desk

Top

- Structurex® - Melamine-coated particle board, 25 mm thick, high density 650 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- 2 mm thick shock-proof ABS edging, radiused and matching the top finishes.
- Metal inserts for improved tear resistance and easier assembly.
- Top equipped with single opening Top Access hatch (dim. L 309 x D 116 mm), black finish, positionable on the left or on the right.
- Dimensions : D 100 x L 200 cm.




Leg

- Stylish double ribbon leg made of 25 x 25 mm square tube, with black epoxy finish (RAL 9005).
- Adjustable screew feet of Ø 30 mm and 10 mm range to compensate for any unevenness in the floor.
- 74 cm high worktops.

Structure - Desks equipped with a double structure :


- **Off-centred structural modesty panels :**
  - Structural modesty panel made of Structurex® – Melamine-coated particle board, 25 mm thick, high density 650 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
  - 2 mm thick shock-proof ABS straight edging, radiused and matching the modesty panel finishes.
  - Modesty panel with 2 cutouts Ø 60 mm, to feed cables to an optional cable tray.
  - Height under modesty panel : +/- 40 cm.

- **Metal beams :**
  - Beams, cross-section 25 x 25 mm, equipped with 2 end fittings to connect the legs, provide perfect stability and stiffen the tops.
  - Height under beam : +/- 69 cm.
  - Lacquered epoxy finishes matching the legs : black (RAL 9005).
  - Beam positioned 10 cm from the top on the user side.




Storage unit

- Structurex® - Melamine-coated particle board, 25 mm thick, high density 650 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment. 2 mm thick shock-proof ABS edging.
- Dimensions : D 60 x L 140 x H 63,5 cm.
- The return storage unit consists of 3 square compartments L 35,5 / D 60 / H 32,2 cm, 2 horizontal compartments L 54,5 / D 60 / H 16 cm and a CPU compartment L 21 / D 60 / H 50,5 cm.
- The return storage unit is equipped with a cable port on its top to feed cable from the top down to the floor or to the CPU compartment.
- The desk and return storage unit are connected by a 7,5 cm high shortened ribbon leg which rests perfectly on the storage unit and can be positionned as a return on the left or right of the desk (not reversible).
- The storage unit is screw on structure of 4 legs composed with 2 arches (H 6 cm) and a central beam.



Straight desk with return storage unit




Storage unit

STRICTO Executive

[Options]


Return extension

- Structurex® Melamine-coated particle board, 25 mm thick, high density 650 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment, L 80 / L 100 x D 60 cm.
- Stylish ribbon leg made of 25 x 25 mm square tube, with black epoxy finish (RAL 9005).
- The connection return top / main top is assured by 2 brackets support plate and a return beam connected to the main beam.
- Can be positioned in right or left return.




Storage box unit with door to be built into the return storage unit

- Storage box unit made of Structurex® Melamine-coated particle board, 16 mm thick, high density 650 kg/m3 (+/-5 %), 2 decorative sides counterbalanced with anti-reflection treatment.
- Dimensions : L 35,5 x D 60 x H 32,2 cm.
- Internal dimensions : L 32 x D 56 x H 32,2 cm.
- Block fixed to the sides storages, equipped with a hinged door with lock to 2 keys, one folding plastic-coated.



PC ventilation grille

- Made of epoxy black finish metal.
- Attached by magnet.






MODERN
Martin Pars

buronomic

ZI du Poudreux
Route Samuel de Champlain
14600 Honfleur

Tel : +33 (0)2 31 81 66 00

www.buronomic.com
contact@buronomic.com

The data in this sheet is valid at the date of preparation.
Any evolution of the product does not systematically give rise to update when the fundamental characteristics of the product are not modified.
The manufacturer reserves the right to change the product without notice.
Version 02/2025